

SURVEILLANCE OF INFECTIOUS DISEASES IN ANIMALS AND HUMANS IN SWEDEN 2020

Chapter excerpt -
Aujeszky's disease



Editor: Karl Ståhl

Department of Disease Control and Epidemiology
National Veterinary Institute (SVA), SE-751 89 Uppsala, Sweden

Authors: Charlotte Axén, Mia Brytting, Ioana Bujila, Erika Chenais, Rikard Dryselius, Helena Eriksson, Eva Forsgren, Malin Grant, Gittan Gröndahl, Gunilla Hallgren, Kristina Hammarén Busch, Anette Hansen, Marika Hjertqvist, Mia Holmberg, Cecilia Hultén, Helena Höök, Cecilia Jernberg, Jerker Jonsson, Oskar Karlsson Lindsjö, Ulrika König, Elina Lahti, Emelie Larsdotter, Moa Lavander, Mats Lindblad, Anna Lundén, Margareta Löfdahl, Oskar Nilsson, Maria Nöremark, Anna Ohlson, Ylva Persson, Karin Persson-Waller, Thomas Rosendal, Karl Ståhl, Lena Sundqvist, Robert Söderlund, Magnus Thelander, Karin Troell, Henrik Uhlhorn, Anders Wallensten, Per Wallgren, Stefan Widgren, Ulrika Windahl, Joakim Wistedt, Beth Young, Nabil Yousef, Siamak Zohari, Erik Ågren, Estelle Ågren, Elina Åsbjer

Cover: Juvenile mink in hand. Photo: Elina Kähkönen

Copyright of map data: ©EuroGeographics for the administrative boundaries

Reporting guidelines: Reporting guidelines were introduced in 2018 for those chapters related to purely animal pathogens. The guidelines build on experiences from several EU projects, and have been validated by a team of international experts in animal health surveillance. The aim is to develop these guidelines further in collaboration within the global surveillance community and they have therefore been made available in the form of a wiki on the collaborative platform GitHub (<https://github.com/SVA-SE/AHSURED/wiki>). Feel free to contribute!

Layout: The production of this report continues to be accomplished using a primarily open-source toolset. The method allows the source text, produced by authors, to be edited independently of the template for the layout which can be modified and reused for future reports. Specifically, the chapter texts, tables and captions are authored in Microsoft Word and then converted using pandoc and R to the LaTeX typesetting language. Most figures and maps are produced using the R software for statistical computing and the LaTeX library pgfplots. Development for 2020 has further improved the importing of content from Excel files to automatically build figures in the pgfplots LaTeX library. The tool is available as an R-package on GitHub (<https://github.com/SVA-SE/mill/>). The report generation R-package and process was designed by Thomas Rosendal, Wiktor Gustafsson and Stefan Widgren. In 2020, final typesetting was done primarily by Wiktor Gustafsson with contributions from the report authors.

Print: TMG Tabergs AB.

Except where otherwise noted, the reuse of this document is authorised under the Creative Commons Attribution 4.0 International (CC BY 4.0) licence. This means that reuse is allowed provided appropriate credit is given and any changes are indicated. For any use or reproduction of photos or other material that is not owned by SVA, permission must be sought directly from the copyright holders.

Suggestion citation: Surveillance of infectious diseases in animals and humans in Sweden 2020, National Veterinary Institute (SVA), Uppsala, Sweden. SVA:s rapportserie 68 1654-7098.

This report may be subject to updates and corrections. The latest version is always available for download at www.sva.se.

Aujeszky's disease

BACKGROUND

Aujeszky's disease (AD) is caused by a herpes virus that has the capacity to infect many species, but pigs are the natural hosts. The disease is of importance for pig production worldwide, although it has been eradicated from the domestic pig population in many countries. AD is widespread in European wild boar populations, which may act as reservoirs, but their role in transmitting the disease is not well known. Between 2018 and 2020, several outbreaks of AD in outdoor-raised domestic pigs in France were linked to contact with wild boar. Other species, including cattle, sheep, goats, dogs and cats, develop clinical signs, but they are not considered important for transmission of the disease as they are typically dead-end hosts. A few cases of human infection have been reported but AD is not considered a zoonotic disease.

Sweden has been officially free from AD since 1996 (Commission Decision 96/725/EU with amendments). This status was achieved following a national, government-supported control programme that was introduced in 1991 and managed by the Swedish Animal Health Services (now

Farm & Animal Health). Farm & Animal Health is also responsible for the ongoing active surveillance programme financed by the Swedish Board of Agriculture.

DISEASE

The clinical presentation of AD is dependent on the age of the infected animal, with younger pigs being most severely affected but becoming more resistant as they age. Infected newborn or very young piglets develop fever, anorexia and neurological signs and mortality approaches 100%. Adult pigs show only mild respiratory signs and inappetence and, in breeding sows, reproductive failure including return to oestrus, abortion, stillbirths or weak-born piglets can occur. Species other than pigs develop neurological signs including severe itching ("mad itch") and affected animals typically die within 1–2 days.



In 2020, 2407 samples from 469 pig herds were analysed for Aujeszky's disease (AD) within the active surveillance programme. All samples were negative for antibodies to the AD virus. Photo: Marie Sjölund.

LEGISLATION

The disease is included in the Swedish Act of Epizootic diseases (SFS 1999:657 with amendments) and is thereby notifiable on clinical suspicion for all veterinarians and farmers. Sweden has been granted certain additional guarantees regarding AD by the European Commission, in order to protect the Swedish pig health status (Decision 2008/185/EC).

SURVEILLANCE

The purpose of the surveillance is to document continued freedom from the disease. The surveillance programme was designed using a between-herd prevalence of 0.5%, a within-herd prevalence of 50% and a risk of introduction of 1 in 20 years. Samples are analysed for antibodies against the AD virus using a blocking ELISA (SVANOVIR® PRV-gB-Ab ELISA, Svanova). Samples testing positive are analysed with a second ELISA (SVANOVIR® PRV-gE-AB/PRV-gE-Ak, Svanova) for confirmation. In cases of clinical suspicion of AD, samples are analysed for the presence of virus or viral genome. All analyses are performed at the National Veterinary Institute.

Passive surveillance

Farmers and veterinarians must report clinical suspicions of AD to the Swedish Board of Agriculture and all suspicions are followed up with an investigation. Investigations may include sampling of sick or dead animals, examination of the herd for the presence of clinical signs and analyses of production results.

Active surveillance

In 2020, all samples collected in the abattoir sampling component of the surveillance for porcine respiratory and reproductive syndrome (PRRS) virus, carried out by Farm & Animal Health (see chapter on PRRS for details, page 66), were also used for the active surveillance of AD. Within this programme, pigs from randomly selected production herds are sampled at slaughter throughout the year at 9 abattoirs which slaughter approximately 99.5% of Sweden's pigs. Three samples per herd are collected on each sampling occasion. For 2020, the number of samples required for the abattoir component of the PRRS surveillance programme was calculated to be 2400.

Active surveillance for AD in Swedish wild boar has also been conducted annually since 2000 (see chapter "Infectious diseases in wild boars" on page 123), with the exception of 2018 when testing was not undertaken due to a redistribution of funding.

RESULTS

Passive surveillance

In 2020, one clinical suspicion of AD was investigated. The investigation was prompted after the herd experienced a high number of late-term abortions and premature farrowings over the course of 4 days. During the investigation, tissue

samples from aborted fetuses were analysed for the presence of the virus causing AD using PCR. All samples tested were negative, and the herd was subsequently declared free from AD.

Active surveillance

In 2020, 2407 samples from pigs from 469 herds taken on 803 sampling occasions (some herds were sampled more than once during the year) were analysed for AD within the active surveillance programme (Table 3). All samples were negative for antibodies to the AD virus.

Table 3: Number of finisher pigs and herds sampled at the abattoir in the active surveillance of Aujeszky's disease each year 2010–2020.

Year	Number of pigs sampled	Number of herds sampled
2010	4371	866
2011	2308	700
2012	2152	623
2013	1548	488
2014	2028	537
2015	2383	521
2016	2418	506
2017	2625	546
2018	2706	514
2019	2548	507
2020	2407	469

DISCUSSION

The purpose of the surveillance is to document freedom from AD and to contribute to the maintenance of this situation by detecting an introduction of the disease before it is widely spread in the swine population. The design of the active surveillance for AD has changed several times since Sweden was declared officially free of the disease in 1996. Until 2008, samples collected from sows and boars at slaughter were used in the surveillance for AD. In 2009, in addition to samples from slaughtered sows and boars, samples collected from finisher pigs in the abattoir component of the PRRS surveillance programme were also analysed. Since 2011, AD surveillance has been based solely on the abattoir samples collected for the PRRS surveillance programme. Based on the surveillance undertaken in 2020, the probability of freedom from AD was calculated and found to be >99%.

REFERENCES

- Robertsson JÅ, Wierup M (2000) The eradication of Aujeszky's disease from pig production in Sweden. *Vet Rec* 31(1):152–153
- Meier RK, Ruis-Fons F, Ryser-Degiorgis MP (2015) A picture of trends in Aujeszky's disease virus exposure in wild boar in the Swiss and European contexts. *BMC Vet Res* 11:277